Contents of Volume 39

Vol. 39, No. 1, January (I) 1999

Editorial vii

Cloning and characterization of the nuclear AC115 gene of *Chlamydomonas reinhardtii*
P. Rattanachaikunsopon, C. Rosch, M.R. Kuchka 1–10

Characterization of the regulatory elements of the maize *P-rr* gene by transient expression assays
L. Sidorenko, X. Li, L. Tagliani, B. Bowen, T. Peterson 11–19

Coordinate and non-coordinate expression of the stress 70 family and other molecular chaperones at high and low temperature in spinach and tomato
Q.-B. Li, D.W. Haskell, C.L. Guy 21–34

Isolation and characterization of an anther-specific gene, RA8, from rice (*Oryza sativa* L.)
J.-S. Jeon, Y.-Y. Chung, S. Lee, G.-H. Yi, B.-G. Oh, G. An 35–44

Molecular characterizaton of four β-tubulin genes from dinitroaniline susceptible and resistant biotypes of *Eleusine indica*
E. Yamamoto, W.V. Baird 45–61

Molecular cloning and characterization of *Vigna mungo* processing enzyme 1 (VmPE-1), an asparaginyl endopeptidase possibly involved in post-translational processing of a vacuolar cysteine endopeptidase (SH-EP)
T. Okamoto, T. Minamikawa 63–73

Characterization of DRGs, developmentally regulated GTP-binding proteins, from pea and *Arabidopsis*
M.L. Devitt, K.J. Maas, J.P. Stafstrom 75–82

Positive-negative selection and T-DNA stability in *Arabidopsis* transformation
M.E. Gallego, P. Sirand-Pugnet, C.I. White 83–93

Identification of a DNA-binding factor that recognizes on α-coixin promoter and interacts with a *Coix* Opaque-2 like protein
G.A. de Souza Filho, M.J. da Silva, A.L. Vettore, J.A. Yunes, A. Leite, P. Arruda, L.M.M. Ottoboni 95–104

Molecular characterization of catalytic-subunit cDNA sequences encoding protein phosphatases 1 and 2A and study of their roles in the gibberellin-dependent *Osamy-c* expression in rice
M. Chang, B. Wang, X. Chen, R. Wu 105–115

The wheat LEA protein Em functions as an osmoprotective molecule in *Saccharomyces cerevisiae*
G.A. Swire-Clark, W.R. Marcotte, Jr. 117–128

Ellicitor-responsive promoter regions in the tryptophan decarboxylase gene from *Catharanthus roseus*
P.B.F. Ouwerkerk, J. Memelink 129–136

Characterization of three novel members of the *Arabidopsis SHAGGY*-related protein kinase (*ASK*) multigene family
M.C. Dornelas, P. Wittich, I. von Recklinghausen, A. van Lammeren, M. Kreis 137–147

Molecular characterization of a gene for alanine aminotransferase from rice (*Oryza sativa*)
H. Kikuchi, S. Hirose, S. Toki, K. Akama, F. Takaiwa 149–159

Differential expression of expansin gene family members during growth and ripening of tomato fruit
D.A. Brummell, M.H. Harpster, P. Dunsmuir 161–169

Short communications

Genetic and physical characterization of a region of *Arabidopsis* chromosome 1 containing the *CLAVATA1* gene
R.W. Williams, S.E. Clark, E.M. Meyerowitz 171–176

The soybean *ENOD40*(2) promoter is active in *Arabidopsis thaliana* and is temporally and spatially regulated
R. Mirabella, L. Martirani, A. Lamberti, M. Iaccarino, M. Chiurazzi 177–181

Identification and expression of the kosena radish (*Raphanus sativus* cv. Kosena) homologue of the ogura radish CMS-associated gene, *orf138*
M. Iwabuchi, N. Koizuka, H. Fujimoto, T. Sakai, J. Imamura 183–188

Sequence announcements 189–193

Vol. 39, No. 2, January (II) 1999

Cloning expression and *N*-terminal muristoylation of *CpCPK1*, a calcium-dependent protein kinase from zucchini (*Cucurbita pepo*) L.
M. Ellard-Ivey, R.B. Hopkins, TJ White, T.L. Lomax 199–208

A multi-responsive gene encoding 1-aminocyclopropane-1-carboxylate synthase (*ACS6*) in mature *Arabidopsis* leaves
J.M. Arteca, R.N. Arteca 209–219

Characterization of a pine multigene family containing elicitor-responsive stilbene synthase genes
R. Preisig-Müller, A. Schwekendiek, I. Brehm, H.-J. Reif, H. Kindl 221–229

Photoregulated expression of the *PsPK3* and *PsPK5* genes in pea seedlings
R. Khanna, X. Lin, J.C. Watson 231–242

S1 SINE retroposons are methylated at symmetrical and non-symmetrical positions in *Brassica napus*: identification of a preferred target site for asymmetrical methylation
C. Goubely, P. Arnaud, C. Tatout, J.S. Heslop-Harrison, J.-M. Deragon 243–255

Characterization of the KNOX class homebox genes *Oskn2* and *Oskn3* identified in a collection of cDNA libraries covering the early stages of rice embryogenesis
A.D. Postma-Haarsma, I.I.G.S. Verwoert, O.P. Stronk, J. Koster, G.E.M. Lamers, J.H.C. Hoge, A.H. Meijer 257–271

Isolation and characterization of cDNA clones corresponding with mRNAs that accumulate during auxin-induced lateral root formation
L.W. Neuteboom, J.M.Y. Ng, M. Kuyper, O.R. Clijdesale, P.J.J. Hooykaas, B.J. van der Zaal 273–287

Light-regulated expression of the *gsa* gene encoding the chlorophyll biosynthetic enzyme glutamate 1-semialdehyde aminotransferase in carotenoid-deficient *Chlamydomonas reinhardtii* cells
C.A. Herman, Chung-soon Im, S.I. Beale **289–297**

Structural conservation of the transposon Tam3 family in *Antirrhinum majus* and estimation of the number of copies able to transpose
Y. Kishima, S. Yamashita, C. Martin, T. Mikami **299–308**

The role of protein surface charge in catalytic activity and chloroplast membrane association of the pea NADPH: protochlorophyllide oxidoreductase (POR) as revealed by alanine scanning mutagenesis
C. Dahlin, H. Aronsson, H.M. Wilks, N. Lebedev, C. Sundqvist, M.P. Timko **309–323**

Expression of a proteasome α-type subunit gene during tobacco development and senescence
A.R. Bahrami, J.E. Gray **325–333**

Characterization of *Urtica dioica* agglutinin isolectins and the encoding gene family
M.P. Does, D.K. Ng, H.L. Dekker, W.J. Peumans, P.M. Houterman, E.J.M. Van Damme, B.J.C. Cornelissen **335–347**

Tissue-specific expression of two genes for sucrose synthase in carrot (*Daucus carota*) L.
A. Sturm, S. Lienhard, S. Schatt, M. Hardegger **349–360**

Regulation of biosynthesis and cellular localization of Sp32 annexins in tobacco BY2 cells
J. Proust, G. Houlné, M.-L. Schantz, W-H. Shen, R. Schantz **361–372**

Short communications

***Ivr2*, a candidate gene for a QTL of vacuolar invertase activity in maize leaves. Gene-specific expression under water stress**
S. Pelleschi, S. Guy, J.-Y. Kim, C. Pointe, A. Mahé, L. Barthes, A. Leonardi, J.-L. Prioul **373–380**

Random mutagenesis in the large extrinsic loop E and transmembrane α-helix VI of the CP 47 protein of Photosystem II
J. Wu, N. Masri, W. Lee, L.K. Frankel, T.M. Bricker **381–386**

Sequence announcements **387–393**

Vol. 39, No. 3, February 1999

Complexity and expression of the glutamine synthetase multigene family in the amphidiploid crop *Brassica napus*
G. Ochs, G. Shock, M. Trischler, K. Kosemund, A. Wild **395–405**

High-efficiency *Agrobacterium*-mediated transformation of Norway spruce (*Picea abies*) and loblolly pine (*Pinus taeda*)
A.R. Wenck, M. Quinn, R.W. Whetten, G. Pullman, R. Sederoff **407–416**

IFG, a gypsy-like retrotransposon in *Pinus* (Pinaceae), has an extensive history in pines
D.S. Kossack, C.S. Kinlaw **417–426**

Identification of genes specifically expressed in cauliflower reproductive meristems. Molecular characterization of *BoREM1*
J.M. Franco-Zorrilla, B. Fernández-Calvín, F. Madueño, M. Cruz-Alvarez, J. Salinas, J.M. Martínez-Zapater 427–436

Down-regulation of cinnamyl alcohol dehydrogenase in transgenic alfalfa (*Mecicago sativa* L.) and the effect on lignin compositoin and digestibility
M. Baucher, M.A. Bernard-Vailhé, B. Chabbert, J.-M. Besle, C. Opsomer, M. Van Montagu, J. Botterman 437–447

Identification of cystosolic Mg^{2+}-dependent soluble inorganic pyrophosphatases in potato and phylcgenetic analysis
J.A. Rojas-Beltrán, F. Dubois, F. Mortaixu, D. Portetelle, C. Gebhardt, R.S. Sangwan, P. du Jardin 449–461

cDNA and genomic cloning of sugar beet V-type H^+-ATPase subunit A and c isoforms: evidence for coordinate expression during plant development and coordinate induction in response to high salinity
A. Lehr, M. Kirsch, R. Viereck, J. Schiemann, T. Rausch 463–475

Expression of tobacco class II catalase gene activates the endogenous homologous gene and is associated with disease resistance in transgenic potato plants
D. Yu, Z. Xie, C. Chen, B. Fan, Z. Chen 477–488

Apoptosis in developing anthers and the role of ABA in this process during androgenesis in *Hordeum vulgare* L.
M. Wang, S. Hoekstra, S. van Bergen, G.E.M. Lamers, B.J. Oppedijk, M.W. van der Heijden, W. de Priester, R.A. Schilperoort 489–501

Structure of two maize phytase genes and their spatio-temporal expression during seedling development
S. Maugenest, I. Martinez, B. Godin, P. Perez, A.-M. Lescure 503–514

Characterizaton and functional analysis of *Arabidopsis* TFIIA reveal that the evolutionarily unconserved region of the large subunit has a transcription activation domain
Y.-F. Li, J. Le Gourierrec, M. Torki, Y.-J. Kim, F. Guerineau, D.-X. Zhou 515–525

Coordinate modulation of maize sulfate permease and ATP sulfurylase mRNAs in response to variations in sulfut nutritional status: stereospecific down-regulation by L-cystine
A. Bolchi, S. Petrucco, P.L. Tenca, C. Foroni, S. Ottonello 527–537

Regulation by biotic and abiotic stress of a wheat germin gene encoding oxalate oxidase, a H_2O_2-producing enzyme
A. Berna, F. Bernier 539–549

A strong constitutive positive element is essential for the ammonium-regulated expression of a soybean gene encoding cytosolic glutamine synthetase
T. Tercé-Laforgue, E. Carrayol, M. Cren, G. Desbrosses, V. Hecht, B. Hirel 551–564

A novel flower-specific *Arabidopsis* gene related to both pathogen-induced and developmentally regulated plant β-1,3-glucanase genes
G. Delp, E.T. Palva 565–575

Differential expression of genes encoding the light-dependent and light-independent enzymes for protochlorophyllide reduction during development in loblolly pine
J.S. Skinner, M.P. Timko 577–592

Higher plant tyrosine-specific protein phosphatases (PTPs) contain novel amino-terminal domains: expression during embryogenesis
A.P. Fordham-Skelton, M. Skipsey, I.M. Eveans, R. Edwards, J.A. Gatehouse 593–605

Male gametic cell-specific expression of H2A and H3 histone genes
H. Xu, I. Swoboda, P.L. Bhalla, M.B. Singh 607–614

Seed-specific expression patterns and regulation by ABI3 of an unusual late embryogenesis-abundant gene in sunflower
P. Prieto-Dapena, C. Almoguera, A. Rojas, J. Jordano 615–627

Short communication

Isolation and characterization of mRNAs differentially expressed during ripening of wild strawberry (*Fragaria vesca* L.) fruits
Y.-W. Nam, L. Tichit, M. Leperlier, B. Cuerq, I. Marty, J.M. Lelièvre 629–636

Sequence announcements 637–639

Vol. 39, No. 4, March (I) 1999

Mini-review

News in chloroplast protein import
A. Caliebe, J. Soll 641–645

Research papers

GRAB proteins, novel members of the NAC domain family, isolated by their interaction with a geminivirus protein
Q. Xie, A.P. Sanz-Burgos, H. Guo, J.A. García, C. Gutiérrez 647–656

Developmentally regulated patterns of expression directed by poplar *PAL* promoters in transgenic tobacco and poplar
M. Gray-Mitsumune, E.K. Molitor, D. Cukovic, J.E. Carlson, C.J. Douglas 657–669

Characterization of the *Arabidopsis lecRK-a* genes: members of a superfamily encoding putative receptors with an extracellular domain homologous to legume lectins
C. Hervé, J. Serres, P. Dabos, H. Canut, A. Barre, P. Rougé, B. Lescure 671–682

Genetic engineering of shikonin biosynthesis hairy root cultures of *Lithospermum erythrorhizon* transformed with the bacterial *ubiC* gene
S. Sommer, A. Köhle, K. Yazaki, K. Shimomura, A. Bechtold, K. Heide 683–693

The *Arabidopsis thaliana dhdps* gene encoding dihydrodipicolinate synthase, key enzyme of lysine biosynthesis, is expressed in a cell-specific manner
M. Vauterin, V. Frankard, M. Jacobs 695–708

Cloning, characterization and expresion of a bifunctional fructose-6-phosphate,2-kinase/fructose-2,6-bisphosphatase from potato
H. Draborg, D. Villadsen, T.H. Nielsen 709–720

An example of intron junctional sliding in the gene families encoding squalene monooxygenase homologues in *Arabidopsis thaliana* and *Brassica napus*
U.A. Schäfer, D.W. Reed, D.G. Hunter, K. Yao, A.M. Weninger, E.W.T. Tsang, M.T.J. Reaney, S.L. MacKenzie, P.S. Covello 721–728

A novel calcium-binding protein is expressed in *Brassica* pistils and anthers late in flower development
T. Furuyama, V.A. Dzelzkalns 729–737

Expression of a dehydrin gene during embryo development and drought stess in ABA-deficient mutants of sunflower (*Helianthus annuus* L.)
T. Giordani, L. Natali, A. D'Ercole, C. Pugliesi, M. Fambrini, P. Vernieri, C. Vitaglianoa, A. Cavallini 739–748

Characterization of the subtilase gene family in tomato (*Lycopersicon esculentum* Mill.)
J. Meichtry, N. Amrhein, A. Schaller 749–760

A novel family of plant splicing factors with a Zn knuckle motif: examination of RNA binding and splicing activities
S. Lopato, R. Gattoni, G. Fabini, J. Stevenin, A. Barta 761–773

Isolation of lipoxygenase cDNA clones from pea nodule mRNA
J.-P. Wisniewski, C.D. Gardner, N.J. Brewin 775–783

Enhanced expression and differential inducibility of soybean chalcone synthase genes by supplemental UV-B in dark-grown seedlings
T. Shimizu, S. Akada, M. Senda, R. Ishikawa, T. Harada, M. Niizeki, S.K. Dube 785–795

The Tpv2 family of retrotransposons of *Phaseolus vulgaris*: structure, integration characteristics, and use for genotype classification
K. Garber, I. Bilic, O. Pusch, J. Tohme, A. Bachmair, D. Schweizer, V. Jantsch 797–807

Characterization of a desiccation-responsive small GTP-binding protein (Rab2) from the dessication-tolerant grass *Sporobolus stapfianus*
P.J. O'Mahony, M.J. Oliver 809–821

Degradation of oat mRNAs during seed development
R.R. Johnson, M.E. Chaverra, H.J. Cranston, T. Pleban, W.E. Dyer 823–833

The 68 kDa DNA compacting nucleoid protein from soybean chloroplasts inhibits DNA synthesis *in vitro*
G.C. Cannon, L.N. Ward, C.I. Case, S. Heinhorst 835–845

Cloning sulfur assimilation genes of *Brassica juncea* L.: cadmium differentially affects the expression of a putative low-affinity sulfate transporter and isoforms of ATP sulfurylase and APS reductase
S. Heiss, H.J. Schäfer, A. Haag-Kerwer, T. Rausch 847–857

Short communication

Cloning and characterization of six embryogenesis-associated cDNAs from somatic embryos *Picea glauca* and their comparative expression during zygotic embryogenesis
J.-Z. Dong, D.I. Dunstan 859–864

Vol. 39, No. 5, March (II) 1999

Mini-review

Protein prenylation in plants: old friends and new targets
M. Rodríguez-Conceptión, S. Yalovsky, W. Gruissem 865–870

Research papers

Molecular characterization of a plant mitochondrial chaperone GrpE
M. Padidam, V.S. Reddy, R.N. Beachy, C.M. Fauquet **871–881**

Isolation and molecular characterization of gibberellin-regulated H1 and H2B histone cDNAs in the leaf of the gibberellin-deficient tomato
K.J.P.T. van den Heuvel, R.J. van Esch, G.W.M. Barendse, G.J. Wullems **883–890**

Δ^7-Sterol-C5-desaturase: molecular characterization and functional expression of wild-type and mutant alleles
T. Husselstein, H. Schaller, D. Gachotte, P. Benveniste **891–906**

Regulation of the chitinase gene expression in suspension-cultured rice cells by N-acetylchgitooligosaccharides: differences in the signal transduction pathways leading to the activation of elicitor-responsive genes
Y. Nishizawa, A. Kawakami, T. Hibi, D.-Y. He, N. Shibuya, E. Minami **907–914**

Analhysis of programmed cell death in wheat endosperm reveals differences in endosperm development between cereals
T.E. Young, D.R. Gallie **915–926**

Analysis of *Arabidopsis* genome sequence reveals a large new gene family in plants
J.P. Ride, E.M. Davies, F.C.H. Franklin, D.F. Marshall **927–932**

Differential expression of two spermidine synthase genes during early fruit development and in vegetative tissues of pea
D. Alabadí, J. Carbonell **933–943**

Involvement of a maize proline-rich protein in secondary cell wall formation as deduces from its specific mRNA localization
F. Vignols, M. José-Estyanol, D. Caparrós-Ruiz, J. Rigau, P. Puigdomènech **945–952**

Heterologous expression in *Saccharomyces cerevisiae* of an *Arabdisopsis thaliana* cDNA encoding mevalonate diphosphate decarboxylase
H. Cordier, F. Karst, T. Bergès **953–967**

Homology modelling of the core domain of the endogenous lectin comitin: structural basis for its mannose-binding specificity
A. Barre, E.J.M. Van Damme, W.J. Peumans, P. Rougé **969–978**

Selection of *Arabidopsis* mutants overexpressing genes driven by the promoter of an auxin-inducible glutathione *S*-transferase gene
D.A.M. van der Kop, M. Schuyer, J.E. Pinas, B.J. van der Zaal, P.J.J. Hooykaas **979–990**

Characterization of *NtCDKP1*, a calcium-dependent protein kinase gene in *Nicotiana tabacum*, and the activity of its encoded protein
G.M. Yoon, H.S. Cho, H.J. Ha, J.R. Liu, H.-s. Pai Lee **991–1001**

The arabinose kinase, *ARA1*, gene of *Arabidopsis* is a novel member of the galactose kinase gene family
S. Sherson, I. Gy, J. Medd, R. Schmidt, C. Dean, M. Kreis, A. Lecharny, C. Cobbett **1003–1012**

PTK, the chloroplast RNA pomymerase-associated protein kinase from mustard (*Sinapis alba*), mediates redox control of plastid *in vitro* transcription
S. Baginsky, K. Tiller, T. Pfannschmidt, G. Link **1013–1023**

Signals controlling the expression of cytosolic ascoarbate peroxidase during pathogen-induced programmed celll death in tobacco
R. Mittler, E. Lam, V. Shulaev, M. Cohen **1025–1035**

Molecular structure and chromosomal localization of major repetitive DNA families in the chickpea (*Cicer arietinum* L.) genome
C. Staginnus, P. Winter, C. Desem, T. Schmidt, G. Kahl 1037–1050

Characterization of matrix attachment sites in the upstream region of tobacco chitinase gene
Y. Fukuda 1051–1062

A transcript encoding translation initiation factor eIF-5A is stored in unfertilized egg cells of maize
T. Dresselhaus, S. Cordts, H. Lörz 1063–1071

Vol. 39, No. 6, April 1998

Mini-review

Zinc-finger proteins: the classical zinc finger emerges in contemporary plant science
H. Takatsuij 1073–1078

Research papers

Novel characteristics and regulation of a divergent cinnamate 4-hydroxylase (CYP73A15) from French bean: engineering expression in yeast
S. Nedelkina, S.C. Jupe, K.A. Blee, M. Schalk, D. Werck-Reichhart, G.P. Bolwell 1079–1090

Splicing-independent processing of plant box C/D and box H/ACA small nucleolar RNAs
D.J. Leader, G.P. Clark, J. Watters, A.F. Beven, P.J. Shaw, J.W.S. Brown 1091–1100

Cloning of a wheat *puroindoline* gene promoter by IPCR and analysis of promoter regions required for tissue-specific expression in transgenic rice seeds
J.-F. Digeon, E. Guiderdoni, R. Alary, N. Michaux-Ferrière, P. Joudrier, M.-F. Gautier 1101–1112

Characterization of ATDRG1, a member of a new class of GTP-binding proteins in plants
N. Etheridge, Y. Trusov, J.P. Verbelen, J.R. Botella 1113–1126

Unusual inheritance of evolutionarily-related double-stranded RNAs in interspecific hybrid between rice plants *Oryza sativa* and *Oryza rufipogon*
H. Moriyama, H. Horiuchi, T. Nitta, T. Fukuhara 1127–1136

A distinct member of the basic (class I) chitinase gene family in potato is specifically expressed in epidermal cells
G. Ancillo, B. Witte, E. Schmelzer, E. Kombrink 1137–1151

ATS1* and *ATS3*: two novel embryo-specific genes in *Arabidopsis thaliana
M.L. Nuccio, T.L. Thomas 1153–1163

Quantitative chromosome map of the polyploid *Saccharum spontaneum* by multicolor fluorescence *in situ* hybridization and imaging methods
S. Ha, P.H. Moore, D. Heinz, S. Kato, N. Ohmido, K. Fukui 1165–1173

Genetic deletion of proteins resembling Type IV pilins in *Synechocystis* sp. PCC 6803: their role in binding or transfer of newly synthesized chlorophyll
Q. He, W. Vermaas 1175–1188

A cluster of five cell wall-associated receptor kinase genes, *Wak1–5*, are expressed in specific organs of *Arabidopsis*
Z.-H. He, I. Cheeseman, D. He, B.D. Kohorn **1189–1196**

Sequences surrounding the transcription initiation site of the *Arabidopsis* enoyl-acyl carrier protein reductase gene control seed expression in transgenic tobacco
G.-J. de Boer, C. Testerink, G. Pielage, H.J.J. Nijkamp, A.R. Stuitje **1197–1207**

Molecular analysis of a null mutant for pea (*Pisum sativum* L.) seed lipoxygenase-2
C. Forster, H. North, N. Afzal, C. Domoney, A. Hornostaj, D.S. Robinson, R. Casey **1209–1220**

A promoter from sugarcane bacilliform badnavirus drives transgene expression in banana and other monocot and dicot plants
P.M. Schenk, L. Sagi, T. Remans, R.G. Dietzgen, M.J. Bernard, M.W. Graham, J.M. Manners **1221–1230**

Gene encoding polygalacturonase inhibitor in apple fruit is developmentally regulated and activated by wounding and fungal infection
C. Yao, W.S. Conway, R. Ren, D. Smith, G.S. Ross, C.E. Sams **1231–1241**

Markers for hypersensitive response and senescence show distinct patterns of expression
D. Pontier, S. Gan, R.M. Amasino, D. Roby, E. Lam **1243–1255**

Enzymatic activity and gene expression under water stress of phospholipase D in two cultivars of *Vigna unguiculata* L. Walp. differing in drought tolerance
H. El Maarouf, Y. Zuily-Fodil, M. Gareil, A. d'Arcy-Lameta, A.T. Pham-Thi **1257–1265**

Engineering seed dormancy by the modification of zeaxanthin epoxidase gene expression
A. Frey, C. Audran, E. Marin, B. Sotta, A. Marion-Poll **1267–1274**

In plants a putative isovaleryl-CoA-dehydrogenase is located in mitochondria
K. Däschner, C. Thalheim, C. Guha, A. Brennicke, S. Binder **1275–1282**

Molecular characterization of two lipoxygenases from barley
J.R. van Mechelen, R.C. Schuurink, M. Smits, A. Graner, A.C. Douma, N.J.A. Sedee, N.F. Schmitt, B.E. Valk **1283–1298**

The promoter of the strictosidine synthase gene from periwinkle confers elicitor-inducible expression in transgenic tobacco and binds nuclear factors GT-1 and GBF
G. Pasquali, A.S.W. Erven, P.B.F. Ouwerkerk, F.L.H. Menke, J. Memelink **1299–1310**

Sequence announcements **1311–1313**

Instructions to authors **1315–1318**

Contents to Volume 39 **1319–1327**

Author index, Volume 39 **1329–1331**